



β -Barrel Proteins

The Beauty of the Membranes




Enrico Schleiff

2008



β -Barrel Proteins The Beauty of the Membranes



Anabaena sp. strain PCC7120



Enrico Schleiff


2008

The outer membrane




■ The Function

- Protection of the cell environment
- Regulation of the transfer of
 - Ions
 - Metabolites
 - Chemical compounds
 - Proteins
 - Lipids




An example: Iron transport

Siderophore-dependent pathways





Ferguson & Deisenhofer, Cell, 2004

An example: Iron transport



Insertion of outer membrane proteins




Schleiff & Soll, EMBO R. 2005


ES 08



The Omp85 Family




Bredemeier et al., JBC. 2007



Schleiff & Soll, EMBO R. 2005





The Omp85 Family




Identity	alr2269	Npun512	slr1227
Toc75	20%	20%	17%
slr1227	47%	46%	
Npun512	71 %		

Bredemeier et al., JBC. 2007

The N-Terminus



Preprotein Binding





Complex formation


Ertel et al., JBC. 2005



The N-Terminus



Preprotein Binding




Complex formation



Ertel et al., JBC. 2005




The C-Terminus




The reverse potential




Ertel et al., JBC 2005, Bredemeier et al., JBC 2007



The C-Terminus




The conductivity




$$g_1 < g_2$$



$d \sim 1.7 \text{ nm}$



Ertel et al., JBC 2005, Bredemeier et al., JBC 2007




Isolation of the cell wall




Put. loc	HT & VT	Function
OM	alr2887	??


Moslavac et al., JPR. 2005, Moslavac et al., Biol Chem. 2007



The expression of *alr2887*





Moslavac et al., J. Bac. 2007



The expression of *alr2887*


Regulation of
Heterocyst development




Moslavac et al., J. Bac. 2007




The function of Alr2887







The function of Alr2887






Moslavac et al., J. Bac. 2007


Regulation of heterocyst development







The function of Alr2887






The function of Alr2887




Moslavac et al., J. Bac. 2007

ES 08



The function of Alr2887




Moslavac et al., J. Bac. 2007



Summary

- TonB dependent transporter
 - At least 22 expressed genes encoding iron transporter
 - Differential expression
- Omp85
 - Conserved among all species
 - N-terminal recognition site
 - C-terminal pore domain
 - Pore domain regulated by N-terminal section
 - Three homologues in *Anabaena* sp. PCC 7120 with putative cell-type specific function
- Alr2887
 - TolC-like protein
 - NtcA-dependent upregulation during heterocyst development
 - Essential for heterocyst development
 - Possibly interacting with DevABC
 - Possibly involved in protein secretion



Who did the work?


- Rolf Bredemeier
- Franziska Ertel
- Alexander Hahn
- Oliver Mirus
- Suncana Moslavac
- Kerstin Nicolaisen
- Anastasie Samborski
- Maike Ruprecht
- Tobias Wunder



Enrico Schleiff





2008



Also Thanks to:

- Lutz A. Eichacker (Munich, G)
- Enrique Flores (Sevilla, Esp)
- Karl Forchhammer & Iris Maldener (Tübingen, G)
- Arndt von Haeseler (Uni Vienna, A)



Enrico Schleiff

2008